


# Profile KOZEL-50

Ref. A00757

Ref. arch C0757



- Mounting to drywall
- Line of light flush with the surface
- High lumen output
- Non visible aluminum elements
- Possibility to mount the power supply in the luminous part of the luminaire

## APPLICATION

- main and decorative lighting

## MOUNTING


- in drywall, with mounting adhesive
- can be easily connected into runs and systems

## ADDITIONAL INFORMATION

- in order to protect the lighting fixture during installation, a TECH-50 protective insert should be used
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

## TECHNICAL DRAWING

1:2



## TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver non anodized
Possible fixture IP	20, 65
Possible fixture shapes	linear, polygonal
Profile cross-section	rectangular
Width	90 mm
Height	25 mm
LED gluing width A	42 mm
Number of LED strips A (8 mm wide)	5
Max power of a single KLUŚ LED strip	24 W/m
Building type	Commercial, Retail, Residential, HoReCa object, Entertainment/ Arts
Facility zone	communication routes and corridors, bathroom, lobby / foyer, office, conference room
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Mounting to drywall	yes

Length	Ref
1000 mm	A00757N_1 C0757NA_1
2005 mm	A00757N_2 C0757NA_2
3010 mm	A00757N_3 C0757NA_3

# Profile KOZEL-50

Ref. A00757

Ref. arch C0757

To cover with plaster	yes
Wire out back of extrusion	yes

## SAMPLE PROJECTS




## RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER	PC	70 %	satin	B17086S 17086
		B17086MOP 17086OP		
31 %	black	B17086B 17089		

## RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
KOZEL-50	PP	gray	C24280C02 24280


## RELATED ACCESSORIES > RELATED LED




**WP-K-1910-HD-IP65-24V**  
WP-K-1910-HD-IP65-24V  
Ref. arch WP-K-1910-HD-IP65-24V




**WP-K-SE-1210-12V**  
KWP-SE-1210-12  
Ref. arch WP-K-SE-1210-12V



**WP-K-CR-0530-HD-24V**  
WP-K-CR-0530-HD-24V  
Ref. arch WP-K-CR-0530-HD-24V



**WP-K-0530-HD-IP65-24V**  
WP-K-0530-HD-IP65-24V  
Ref. arch WP-K-0530-HD-IP65-24V



**WP-K-0530-HD-24V**  
WP-K-0530-HD-24V  
Ref. arch WP-K-0530-HD-24V

# Profile KOZEL-50

Ref. A00757

Ref. arch C0757

## RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM



**K-27/50-1440-24V**  
K-27/50-1440-24




**KWP-27/50-1440-24**  
KWP-27/50-1440-24

## RELATED ACCESSORIES > RELATED LED > CRI 95+




**WP-K-CR-1820-HD-24V**  
WPKCR1820HD24  
Ref. arch WPKCR1820HD24V




**WP-K-CR-1910-HD-24V**  
KWP-CRHD-1910-24  
Ref. arch WPK-CR-1910-HD-24V


## RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




**K-HE-0480-HD-24V**  
K-HEHD-0480-24  
Ref. arch K-HE-0480-HD-24V



**K-HE-0960-HD-24V**  
K-HEHD-0960-24  
Ref. arch K-HE-0960-HD-24V



**K-HE-1440-HD-24V**  
K-HEHD-1440-24  
Ref. arch K-HE-1440-HD-24V



**K-HE-1920-HD-24V**  
K-HEHD-1920-24  
Ref. arch K-HE-1920-HD-24V

## RELATED ACCESSORIES > RELATED LED > SIDE EMITTING



**WP-K-SE-1210-8-24V**  
KWP-SE-1210-24-8  
Ref. arch WP-K-SE-1210-8-24V

# Profile KOZEL-50

Ref. A00757

Ref. arch C0757

## RELATED ACCESSORIES > RELATED LED > WHITE MONO



**K-0530-HD-24V**  
K-HD-0530-24  
Ref. arch K-0530-HD-24V



**K-1220-24V**  
K-1220-24  
Ref. arch K-1220-24V




**K-1275-24V**  
K-1275-24  
Ref. arch K-1275-24V




**K-1910-HD-24V**  
K-HD-1910-24  
Ref. arch K-1910-HD-24V



**K-2300-24V**  
K-2300-24  
Ref. arch K-2300-24V



**K-0480-24V**  
K-0480-24  
Ref. arch K-0480-24V




**K-0960-24V**  
K-0960-24  
Ref. arch K-0960-24V




**K-1440-24V**  
K-1440-24  
Ref. arch K-1440-24V



**K-2400-24V**  
K-2400-24




**K-CR-0480-24V**  
K-CR-0480-24




**K-CR-0960-24V**  
K-CR-0960-24



**K-CR-1440-24V**  
K-CR-1440-24




**K-VHE-0480-24V**  
K-VHE-0480-24




**K-VHE-0960-24V**  
K-VHE-0960-24




**K-VHE-1440-24V**  
K-VHE-1440-24



**K-HD-0480-24V**  
K-HD-0480-24



**K-HD-0960-24V**  
K-HD-0960-24



**K-HD-1440-24V**  
K-HD-1440-24




**WP-K-1220-24V**  
KWP-1220-24  
Ref. arch WP-K-1220-24V



**WP-K-1220-IP65-24V**  
KWP-1220-IP65-24  
Ref. arch WP-K-1220-IP65-24V



**WP-K-1275-24V**  
KWP-1275-24  
Ref. arch WP-K-1275-24V



**WP-K-1910-HD-24V**  
KWP-HD-1910-24  
Ref. arch WP-K-1910-HD-24V



**WP-K-1440-24V**  
KWP-1440-24  
Ref. arch WP-K-1440-24V



**WP-K-0480-24V**  
KWP-0480-24  
Ref. arch WP-K-0480-24V




**WP-K-0960-24V**  
KWP-0960-24  
Ref. arch WP-K-0960-24V

# Profile KOZEL-50

Ref. A00757

Ref. arch C0757



**KWP-GHD-0480-24V**  
KWP-GHD-0480-24



**KWP-CR-0480-24**  
KWP-CR-0480-24



**KWP-CR-0960-24**  
KWP-CR-0960-24

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR  
**ZM-NA-90**  
42723



CONNECTOR  
**ZM-NA-PION-135**  
42727



CONNECTOR  
**ZM-NA-PION-120**  
42321

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND  
**6,4x3**  
C42264C07  
Ref. arch 42264

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS




MASKING COVER  
**MP-50**  
C28263L01\_1, C28263L10\_1,  
C28263L07\_1  
Ref. arch 17172, 17172L9010,  
17172L9005

# Profile KOZEL-50

Ref. A00757

Ref. arch C0757

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > TECHNICAL AND PROTECTIVE INSERTS



PROTECTIVE INSERT

**TECH-50**

C24532C02

Ref. arch 17125