


Profile LOC-30

Ref. A18015

Ref. arch 18015



- Installation in corners
- Corner masking
- Lighting angle: 30 Degrees
- Cable management space
- Easy maintenance

APPLICATION

- under-cabinet and functional lighting


MOUNTING

- to the surface, using a dedicated mounting track and properly selected screws
- can be easily connected into runs and systems

ADDITIONAL INFORMATION

- mounting strip can be used in sections
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver anodized
Possible fixture IP	20
Possible fixture shapes	linear, polygonal
Profile cross-section	angled
Width	45.8 mm
Height	26.9 mm
LED gluing width A	21 mm
Number of LED strips A (8 mm wide)	2
Max power of a single KLUŚ LED strip	24 W/m
Lighting at an angle	30
Building type	Residential, HoReCa object, Commercial
Facility zone	kitchen, furniture
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Wire out back of extrusion	yes


Length	Ref
1000 mm	A18015A_1 18015ANODA_1
2005 mm	A18015A_2 18015ANODA_2
3010 mm	A18015A_3 18015ANODA_3

Profile LOC-30

Ref. A18015

Ref. arch 18015

SAMPLE PROJECTS



RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
G	PMMA	88 %	semi-transparent	B17013T 17016
		72 %	satin	B17013S 17013
		24 %		B17013B 17014
		30 %	black	B17006B 17012
HS	PC	73 %	frosted	B17011F 17011
		94 %	clear	B17011C 17022
LIGER	PC	62 %	satin	B17032S 17032V1
		39 %	black	B17032B 17087
MUN-22	PC	86 %	semi-transparent	B17042F 17042

RELATED ACCESSORIES > END CAPS


NAME	MATERIAL	COLOR	REF.
LOC-30-P	PP	gray	C24022C02 24022
LOC-30-L	PP	gray	C24023C02 24023

Profile LOC-30


Ref. A18015

Ref. arch 18015

RELATED ACCESSORIES > RELATED LED



WP-K-30/18-1770-010V-24V
WP-K-30/18-1770-010V-24V
Ref. arch WP-K-30/18-1770-010V-24V




K-30/18-1770-010V-24V
K-30/18-1770-010V-24V
Ref. arch K-30/18-1770-010V-24V

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM




K-27/50-1440-24V
K-27/50-1440-24


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24V
K-HEHD-0480-24
Ref. arch K-HE-0480-HD-24V



K-HE-0960-HD-24V
K-HEHD-0960-24
Ref. arch K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HEHD-1440-24
Ref. arch K-HE-1440-HD-24V




K-HE-1920-HD-24V
K-HEHD-1920-24
Ref. arch K-HE-1920-HD-24V

RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1275-RGB-24V
K-RGB-1275-24
Ref. arch K-1275-RGB-24V



K-1530-RGB+W-24V
K-RGBW-1530-24
Ref. arch K-1530-RGB+W-24V



K-1920-120-RGB-24V
K-RGB-1920-120-24
Ref. arch K-1920-120-RGB-24V



K-1200-RGB+27/65-24V
K-RGB27/65-1200-24
Ref. arch K-1200-RGB+27/65-24V



K-RGB-1200-24V
K-RGB-1200-24
Ref. arch K-RGB-1200-24V

Profile LOC-30

Ref. A18015

Ref. arch 18015



K-RGB-0700-24V
K-RGB-700-24V
Ref. arch K-RGB-0700-24V

RELATED ACCESSORIES > RELATED LED > WHITE MONO




K-1220-24V
K-1220-24
Ref. arch K-1220-24V



K-1275-24V
K-1275-24
Ref. arch K-1275-24V



K-1910-HD-24V
K-HD-1910-24
Ref. arch K-1910-HD-24V




K-0480-24V
K-0480-24
Ref. arch K-0480-24V



K-0960-24V
K-0960-24
Ref. arch K-0960-24V



K-1440-24V
K-1440-24
Ref. arch K-1440-24V



K-CR-0480-24
K-CR-0480-24




K-CR-0960-24
K-CR-0960-24




K-CR-1440-24
K-CR-1440-24



K-0530-HD-24V
K-HD-0530-24
Ref. arch K-0530-HD-24V



K-2300-24V
K-2300-24
Ref. arch K-2300-24V



K-VHE-0480-24V
K-VHE-0480-24




K-VHE-0960-24V
K-VHE-0960-24




K-VHE-1440-24V
K-VHE-1440-24




K-2400-24
K-2400-24



K2-1920-24
K2-1920-24



K-HD-0480-24V
K-HD-0480-24



K-HD-0960-24V
K-HD-0960-24



K-HD-1440-24V
K-HD-1440-24

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR
ZM-180
C28075N00
Ref. arch 40693




CONNECTOR
ZM-45
C28070N00
Ref. arch 40688

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND
6,4x3
C42264C07
Ref. arch 42264

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS



MASKING COVER
MP-22
C28261L01_0.25,
C28261L10_0.25,
C28261L07_0.25
Ref. arch 17167, 17167L9010,
17167L9005